



Air Quality for the Aamjiwnaang First Nation for August 2024


The INEOS facility began the process to shutdown its facility in May 2024 and is not likely to be operating again until 2025. In June, INEOS announced a permanent shutdown of the facility by July 2026.

As a result, this will be the last presentation of property-line benzene data in the monthly reports. Following are the maximum two-week average benzene levels along the INEOS property-line in March thru July 2024:

- March: 31.9 $\mu\text{g}/\text{m}^3$
- April: 22.2 $\mu\text{g}/\text{m}^3$
- May: 10.4 $\mu\text{g}/\text{m}^3$
- June: 6.3 $\mu\text{g}/\text{m}^3$
- July: 9.4 $\mu\text{g}/\text{m}^3$



Air Quality for the Contra Costa County in California Near Refineries for August 2024



Note: Benzene levels in ambient air for Ottawa and Toronto are generally less than 0.3 $\mu\text{g}/\text{m}^3$.
Sulphur dioxide (SO₂) levels in ambient air for Ottawa and Toronto are generally less than 3 ppb.

Aamjiwnaang First Nation Air Quality – Monitored Values and Trends For 2022-24

Table 1: Benzene Monitored Values for 2022-24 (in micrograms per cubic metre or µg/m³) for the INEOS-Styrolutions Fenceline

Month	Max 2-week Avg (all monitors)	Rolling Annual Avg (Monitor #3)
2022		
January	47.1; #3	30.6
February	122.0; #3	35.0
March	26.5; #3	35.4
April	19.7; #10	35.4
May	29.6; #3	34.7
June	41.0; #3	35.1
July	73.0; #3	37.7
August	77.3; #3	39.8
September	39.8; #3	41.0
October	74.3; #9	41.6
November	43.0; #3	38.0
December	42.5; #3	35.4
2023		
January	52.4; #4	34.6
February	25.7; #3	31.7
March	27.8; #3	31.5
April	66.0; #9	31.8
May	20.4; #3	31.0
June	16.6; #10	29.4
July	30.9; #3	28.0
August	32.8; #3	25.1
September	14.8; #10	23.7
October	42.6; #3	23.4
November	27.6; #3	23.4
December	23.7; #3	22.6
2024		
January	120.00; #3	25.4
February	20.4; #3	24.4
March	31.9; #9	24.6
April	22.2; #3	24.7
May	10.4; #10	22.1
June	6.3; #3	21.5
July	9.5; #10	20.7

Notes for Table 1:

- i) Typical benzene fenceline monitored values for the Chevron petroleum refinery in Richmond California (Contra Costa County) are, on average, between 0.5 and 1 microgram per cubic metre. This refinery has a refining capacity of 240,000 barrels per day.
- ii) Although INEOS-Styrolutions in Sarnia is a styrene and ethylbenzene production facility and Chevron-Richmond is a petroleum refinery, benzene air emissions from the Cos-Mar styrene and ethylbenzene facility in Carville Louisiana report a similar or lower amount of benzene air emissions relative to Louisiana refineries such as Shell – Norco and Phillips 66 – Westlake.
- iii) In 2019, typical benzene levels in Ottawa and Toronto were, on average, less than 0.3 micrograms per cubic metre.
- iv) The monitor # with the highest 2-week average measurement is indicated in the Max 2-week Avg (all monitors) column.
- v) Benzene air emissions from the Cos-Mar styrene and ethylbenzene facility in Carville Louisiana report a similar or lower amount of benzene air emissions relative to other Louisiana petroleum refineries such as Shell – Norco and Phillips 66 – Westlake. Therefore, comparing the benzene emissions from INEOS-Styrolutions in Sarnia, which produces styrene and ethylbenzene, to the Chevron-Richmond petroleum refinery in the Bay Area is reasonable.

Table 2: Sulphur Dioxide Monitored Values for 2022-23 (in parts per billion or ppb) for the Monitors on and Nearby to the Aamjiwnaang First Nation

	Aamjiwnaang Area Monitors				Near Refineries in Contra Costa County, California	
Month	Monitor	Max 1-hr Avg	Max 24-hr Avg	# of Exceedances of WHO Guideline	Max 1-hr Avg	Max 24-hr Avg
2022						
January/22	Ada	127	21.6	1	10	2.5
February		189	68.7	1	14	3.7
March		96	15.0	0	22	3.6
April		50	12.5	0	9	2.6
May		136	70.0	2	5	1.8
June		84	15.1	1	12	4.0
July		101	30.1	3	4	1.5
August		106	35.2	1	5	2.1
September		58	16.6	2	11	3.1
October		83	18.6	1	16.5	3.6
November	Wilson	41	16.1	1	16.5	3.9
December	Wilson	42	23.3	1	5.1	2.3
2023						
January/23	Ada	120	34.7	1	7.1	2.4
February		65	6.7	0	7.6	3.0
March		147	48.2	3	25.0	2.8
April		76	7.9	0	11.2	2.9
May		204	86.4	5	4.7	2.1
June		175	51.3	1	4.6	2.1
July		111	24.8	1	6.9	2.5
August		104	22.6	2	9.4	1.3
September		55	11.4	0	6.5	1.9
October		23	3.3	0	6.7	1.9
November		42	5.3	0	9.3	2.9
December		65	14.4	0	33.7	4.9

	Aamjiwnaang Area Monitors				Near Refineries in Contra Costa County, California	
Month	Monitor	Max 1-hr Avg	Max 24-hr Avg	# of Exceedances of WHO Guideline	Max 1-hr Avg	Max 24-hr Avg
2024						
January	Ada	49	11.1	0	9.2 *	1.2 *
February	Ada	112	34.7	2	7.4	1.5
March	Ada	160	69.9	4	4.4	1.1
April	Ada	202	61.3	5	7.8	1.7
May	ALL	128	42.9	1	21	1.1
June	Ada	80	9.3	0	3.5	1.6
July	Ada	133	29.3	1	2.1	1.3
August	Ada	97	29.3	4	2.7	1.3

* Correction, by the BAAQMD, to January 2024 maximum and hourly (as of March 6 2024)

Notes for Table 2:

- i) In 2019, typical SO₂ levels in Ottawa and Toronto were, on average, less than 0.3 ppb; with maximum 24-hour average SO₂ measurements less than 3 ppb.
- ii) The World Health Organization (WHO) Guideline published in the fall of 2021 refers to 15 ppb SO₂; 24-hour average.
- iii) The Martinez-Jones monitoring station in Martinez, California measures the highest SO₂ levels of eight monitors (operated by the Bay Area Air Quality Management District) within Contra Costa County, California. There currently four petroleum refineries within or immediately adjacent to this county. The Martinex-Jones Monitoring station is about 2.4 kilometres west of the PBF Energy Refinery (157,000 barrels/day refining capacity).

Monitored values are from:

- Benzene: The maximum and average of the 2-week monitored values for the fence-line monitors nearby to the Aamjiwnaang First Nation (i.e., Monitor #3 along the INEOS-Styrolutions fence-line generally provides the highest monitored values for benzene).
- Sulphur dioxide: The maximum and average of 1-hour monitored values for the Ada (Lockridge) Rogers monitor nearby to the Aamjiwnaang Band Office; as reported by the Clean Air Sarnia [web-site](#).
- Fenceline benzene for Chevron – Richmond, California: see, Atmosphere, July 11 2019. Nancy P Sanchez (Chevron), et. al. “Results of Three Years of Ambient Air Monitoring Near a Petroleum Refinery in Richmond, California” and see [Link1](#) for real-time fenceline benzene monitoring results for this same facility.
- Sulphur dioxide measurements for the Bay Area Air Quality Management District, the monitor with the highest SO2 measurements for the month: see [Link2](#).
- Benzene and sulphur dioxide ambient air monitored values for Ottawa and Toronto: are from the 2019 Ontario Air Quality Report published by the Ontario Ministry of the Environment, Conservation and Parks: see [Link3](#).

Path Forward:

Air pollution control requirements in the United States are significantly more effective and stringent than requirements in Canada.

In summary, environmental regulators in Canada have, for decades, failed to protect Aamjiwnaang First Nation air quality.

The Aamjiwnaang First Nation have been effective stewards of the environment for millennia. One possible path forward is for the Aamjiwnaang Environment Department to be treated as an equal for all environmental protection activities and for the Canadian government to provide the necessary capacity funding.

Notes on Thresholds:

Thresholds:	Benzene	Sulphur Dioxide
	Average below 0.45 µg/m ³	All 1-hr maximums below 15 ppb; and 24-hr average always below 3 ppb
	Average 0.5 - 1.9 µg/m ³	1-hr maximum: 15 – 25 ppb; or Maximum 24-hr average: 3 – 9 ppb
	Average 2.0 - 5.0 µg/m ³	1-hr maximum: 25 – 38 ppb; or Maximum 24-hr average: 10 – 15 ppb
	Average over 5.0 µg/m ³	1-hr maximum over 38 ppb; Maximum 24-hr average: over 15 ppb; or Two, 24-hr max over 10 ppb in a month